VAN AKEN DISTRICT CONNECTIONS PLAN

COMMUNITY MEETING #2
SEPTEMBER 29, 2016

7:00–7:30 Open House

7:30–8:15 Presentation

8:15–9:00 Open House

http://shakeronline.com/departments/planning/van-aken/a-connections-plan-for-the-van-aken-district

Agenda

7:00–7:30 Open House

7:30–8:15 Welcome/Introductions

Presentation

- Community Meeting #1 + Stakeholder Summary
- Green Infrastructure Overview
- Signage + Wayfinding
- Public Art
- Van Aken District Framework Plan

Next Steps

- City Planning Commission, 11/1/16
- City Council, mid-November (TBD)

8:15–9:00 Open House

02 COMMUNITY MEETING #1 SUMMARY

JUNE 20, 2016

VAN AKEN DISTRICT

Guiding vision:

- Create a vibrant, transit-oriented, mixed-use community for Shaker Heights

VAN AKEN DISTRICT
Guiding vision:

- Create a vibrant, transit-oriented, mixed-use community for Shaker Heights

- Identify strategies:
  - Promote walkability
  - Support bicycle travel
  - Integrate transit
  - Activate public/civic spaces
  - Seek to beautify the district
  - Engage development to create a vibrant, mixed-use environment

VAN AKEN DISTRICT
Guiding vision:

- Create a vibrant, transit-oriented, mixed-use community for Shaker Heights

- Identify strategies:
  - Promote walkability
  - Support bicycle travel
  - Integrate transit
  - Activate public/civic spaces
  - Seek to beautify district
  - Engage development to create a vibrant, mixed-use environment

- Identify gateways, wayfinding and signage

VAN AKEN DISTRICT
District-Wide Connections

- Mix of land uses
  - Retail/mixed use
  - Office
  - Residential neighborhoods
  - Recreation
- Multiple modes of travel to/from district
- Multiple routes used to/from district
- Numerous destinations



VAN AKEN DISTRICT
District-Wide Connections

- Mix of land uses
  - Retail/mixed use
  - Office
  - Residential neighborhoods
  - Recreation
- Multiple modes of travel to/from district
- Multiple routes used to/from district
- Numerous destinations



COMMUNITY MEETING #1
June 20, 2016

1. Getting to the District
   - Document bicycle/pedestrian routes, destinations, potential gateways

2. Bicycle Friendly Design
   - Comment on potential bicycle infrastructure
   - Location of preferred bicycle amenities

3. Shaker Mad Libs
   - What is important to you?

4. Creating a District
   - Dot vote on prioritizing elements – 1st, 2nd, 3rd priority
   - Dot vote on specific amenities

1

GETTING TO THE DISTRICT
(library)
Thornton
Farnsleigh Rd
Van Aken Blvd
hardware store, Subway
Winslow Rd
Walgreens, Global
Chagrin Blvd
Chagrin Blvd
Lomond Blvd
Warrensville Center Rd
Northfield Rd
Northfield Rd
P.O.
KEY
Gateway
Bike
Pedestrian
Destination
Home
Work
N
0' 250' 500' 1000'
SCALE: 1"=500'
SMITHGROUPJJR
WSP | PARSONS BRINCKERHOFF
STUDIO GRAPHIQUE
VAN AKEN

GETTING TO THE DISTRICT
Farnsleigh Rd
Van Aken Blvd
Winslow Rd
Chagrin Blvd
Chagrin Blvd
Lomond Blvd
Warrensville Center Rd
Northfield Rd
Northfield Rd
KEY
Gateway
Bike
Pedestrian
Destination
Home
Work
N
0' 250' 500' 1000'
SCALE: 1"=500'
SMITHGROUPJJR
WSP | PARSONS BRINCKERHOFF
STUDIO GRAPHIQUE
VAN AKEN

GETTING TO THE DISTRICT
OUR CONDO(S FAIRMOUNT CIR.
THORNTON PK
Farnsleigh Rd
Van Aken Blvd
Winslow Rd
Chagrin Blvd
Chagrin Blvd
JUMA
FAB BLDG! TOWER 5
Lomond Blvd
VH
Warrensville Center Rd
Northfield Rd
Northfield Rd
KEY
Gateway
Bike
Pedestrian
Destination
Home
Work
N
0' 250' 500' 1000'
SCALE: 1"=500'
SMITHGROUPJJR
WSP | PARSONS BRINCKERHOFF
STUDIO GRAPHIQUE
VAN AKEN

GETTING TO THE DISTRICT
Farnsleigh Rd
Van Aken Blvd
Winslow Rd
Chagrin Blvd
Chagrin Blvd
Lomond Blvd
Warrensville Center Rd
Northfield Rd
Northfield Rd
KEY
Gateway
Bike
Pedestrian
Destination
Home
Work
N
0' 250' 500' 1000'
SCALE: 1"=500'
SMITHGROUPJJR
WSP | PARSONS BRINCKERHOFF
STUDIO GRAPHIQUE
VAN AKEN

2


BIKE HOOPS
BIKE SHARE
BIKE LOCKERS
BIKE STATION
REPAIR STOP
Van Aken
Winslow Rd
Chagrin Blvd
Lomond Blvd
BICYCLE
FRIENDLY DESIGN

BIKE HOOPS
BIKE SHARE
BIKE LOCKERS
BIKE STATION
REPAIR STOP
Van Aken
Winslow Rd
Chagrin Blvd
Lomond Blvd
Farnsleigh Rd
Belvoir Rd
Warrensville Center Rd
Northfield Rd
BICYCLE
FRIENDLY DESIGN

2


VAN AKEN
Bikes May Use Full Lane (BMUFL)
NORTHSIDE OF VAN AKEN/FARNSLEIGH
Multi-Use Side Path
WARRENSVILLE CENTER
Multi-Use Side Path; Per Eastside Greenway Recommendations
NORTHFIELD
Buffered Bike Lanes or Multi-use Side Path; Multi-use side path on new Northfield; coordinate with Northfield-Warrensfield Study
WINSLOW, LOMOND, BELVOIR
Neighborhood Bike Route

3

MAD LIBS™
van aken district connections plan

Shaker Heights Identity:
iconic art, trees/gardens…sense of clean funkiness, pet friendly

Making it a great place:
trees/gardens, unique shops… places to sit, eat ice cream, anything but parking

Feeling/atmosphere:
safe, welcoming, friendly, authentic…sense of history

Increasing walkability:
multi-use paths, wide sidewalks, safe crosswalks…water bottle filling station

Increasing bike access:
multi-use paths, bike lanes, bike racks + stations…security, lighting

Excited for:
eating and drinking…local businesses, affordable office space

4

LIGHTING
SIGNAGE
FURNISHINGS
Christmas Story House
Clark Field
Lincoln Park
CREATING A DISTRICT

4

LIGHTING

Contemporary as opposed to traditional or modern; pedestrian scale

SIGNAGE

Clear messaging and wayfinding; not just identity

FURNISHINGS

Flexibility and mixture of materials; contemporary

CREATING A DISTRICT: *PREFERENCES*

4

HARDSCAPE

Mixture of materials and colors that clearly define space; durable

LANDSCAPE

Street trees/planting beds that provide shade; separate pedestrian from street

ART

Wide range of options with emphasis on interactive elements

CREATING A DISTRICT: *PREFERENCES*

4

CREATING A DISTRICT: *PRIORITIES*

4

CREATING A DISTRICT: *PRIORITIES*

03 *GREEN INFRASTRUCTURE*



What is Green Infrastructure?

Green Infrastructure is a flexible term, and it has been used differently in different contexts . . . The EPA intends the term to generally refer to . . .

*Practices that use or mimic natural processes to **infiltrate, evapotranspirate, or reuse. . . runoff** on the site where it is generated.*

Source: US EPA

Find the Sweet Spot for the Greatest Benefit

	Event	Rainfall	Avg. Annual Rainfall Managed
Water Quality	first flush	0.5	76.69%
		1.03	93.73%
		1.2	95.82%
		1.31	96.78%
		1.51	97.96%
		1.72	98.71%
	2-year	1.87	99.07%
Flood Risk	5-year	2.26	99.57%
	10-year	2.75	99.81%
	15-year	3.13	99.90%
	25-year	3.6	99.96%
	50-year	3.98	99.98%
	100-year	4.36	99.99%
	>100-year	> 4.36	100.00%

Tools: Infiltration Planters

Miller Road Rain Gardens
Ann Arbor, MI

Portland State University
Portland, OR

Tools: Infiltration Planters

State Street Parking Lot,
Battle Creek, MI

Tools: Infiltration Chambers

Infiltration chambers can add additional detention capabilities in very urban conditions.



Tools: Porous Pavement



Tools: Green Roofs

Green Roofs have been used in Europe for over 25 years to control runoff volume, improve air and water quality, and promote energy conservation. **Green roofs are particularly effective in highly impervious cities and other urbanized areas** in controlling runoff at the source. In the United States, and particularly in the mid-west, green roofs are becoming more widely used. Chicago requires green roofs on any project receiving public assistance, and the Ford Rouge Plant is one of the biggest green roof applications in the world.



In a recent study at MSU, a green roof with 1.5” of plant medium intercepted 70% of the rain that fell on it over a 14 month period.

Green Roof Stormwater Retention;
Journal of Environmental Quality.

Tools: Rainwater Harvesting

Office Scale



District Scale

Residential Scale

Opportunities for Green Infrastructure

RIGHT OF WAY

- Varied ROW widths, generally correspond with traffic volume
- Vehicles utilize a majority of existing ROW
- Colored areas show what remains outside of roadways



Farnsleigh Rd.

Consider potential to extend beyond ROW

Transit Drive

Warrensville Center Rd. – north of Chagrin

Consider potential to retrofit

Warrensville Center Rd. – south of Chagrin

Consider potential to extend beyond ROW

Chagrin Blvd

Consider potential to retrofit

03 *PUBLIC ART*

VAN AKEN DISTRICT: PUBLIC ART
Endless Opportunities: Sculpture

VAN AKEN DISTRICT: PUBLIC ART
Endless Opportunities: Murals

VAN AKEN DISTRICT: PUBLIC ART

Endless Opportunities: Water

VAN AKEN DISTRICT: PUBLIC ART

Endless Opportunities: Light

VAN AKEN DISTRICT: PUBLIC ART

Endless Opportunities: Interactive

VAN AKEN DISTRICT: PUBLIC ART
Potential Locations

- Permanent + Temporary
- Ephemeral/Changing
- Pop up
- Surprise + Delight



04 *SIGNAGE + WAYFINDING*

VAN AKEN DISTRICT SIGNAGE

Primary Decision Point

Secondary Decision Point

District Gateway



Gateway Sign Concepts

Concept A

Concept B



Concept C

COLOR PALATTE



05 *VAN AKEN DISTRICT FRAMEWORK PLAN*

VAN AKEN DISTRICT CONNECTIONS FRAMEWORK PLAN



KEY

- Community Anchor
- Gateway
- Traffic Light
- Multi-Purpose Path
- Multi-purpose Path
- Sidewalk
- Community Collector

VAN AKEN BLVD
Existing Conditions
(looking east)



VAN AKEN BLVD
Existing Conditions
(looking east)



VAN AKEN BLVD
Proposed
(looking east)



FARNSLEIGH RD
Existing Conditions
(looking northeast)



FARNSLEIGH RD
Existing Conditions
(looking northeast)



FARNSLEIGH RD
Proposed
(looking northeast)



WARRENSVILLE CENTER RD (NORTH)

Existing Conditions

(looking north)



WARRENSVILLE CENTER RD (NORTH)

Existing Conditions

(looking north)



WARRENSVILLE CENTER RD (NORTH)

Proposed

(looking north)



WARRENSVILLE CENTER RD (SOUTH)

Existing Conditions

(looking north)



WARRENSVILLE CENTER RD (SOUTH)

Existing Conditions

(looking north)



WARRENSVILLE CENTER RD (SOUTH)

Proposed

(looking north)



CHAGRIN BLVD
Existing Conditions
(looking east)



CHAGRIN BLVD
Existing Conditions
(looking east)



CHAGRIN BLVD
Proposed
(looking east)



06 *PATTERN BOOK*

Green Infrastructure

DESCRIPTION & INTENT

Everum quis aut labor aperenimus alianim oluptiist iur adipsus doluptatis molore sum eatibus dolecuste optatempos qui od unt voles ipsanda que volorest, voloreribus aboriae eum a il ipicipi debitia qui cuptus. Ducia vendit voluptat. Ria dolectat voluptatios ea conet fugit ute quundi re necta nus aut lam que pliqui consequo voluptaquo et exerferspis nobit evendunt laborrorpor aborpore eos aliquatia nemquia siti deliciis sinullant.

USE & APPLICATION

Int ex exero blaboru mquissincit am, aut qui sus is aut laborerorem rendandem este natibus eossequiatio inumquam fuga. Ut eribus mint, quamus. Ria dolectat voluptatios ea conet fugit ute quundi re necta nus aut lam que pliqui consequo voluptaquo et exerferspis nobit evendunt laborrorpor aborpore eos aliquatia nemquia siti deliciis sinullant, vercian demporibus.

cost considerations

$

Litat ut officab oritisque ma paruptatur am ra autatec uptiis explibusam, nate rem alitem qui ullorem sitatur, occum sitem re, tem. Ecustio berum namusdae et mo vellor atur molor soluptatum intio omnis eriate expe voluptat.

RELATED DESIGN ELEMENTS

- Est, odi dicab ipsantu riosand icidunt pereperum qui blam arcidita tur moluptatios dunt atus enim in et et asperes destia porerib usciis eosaeribus.
- Must, cus non conectempos estis mo quaspid erisquam eatus evelit ut quatus, quia con nones quiamus cuptaqui vollenis essitis aut quidele sciatiis explitae ne pel explaci debitia cum et apiet esciis quidellaut modi a nobitiore sendes exerunt, que quis sequi ut venem rerspelecti idebitatem et quodi

design guidelines

Int ex exero blaboru mquissincit am, aut qui sus is aut laborerorem rendandem este natibus eossequiatio inumquam fuga. Beribeat iatium cum fugiae soluptaque conseru mquatemod et ariam, omnis neceaqui ni iliquo tenit doles.

- Eriam, te in nis in pel int magnis alictium que lametur audae debit
- Miodipsum ex estrum con repta aut volore volorest volupta ilite persperias et enditam, offic to quisqui
- DEsit aut magniendant quatur, odigenihicto et omnist porrovit quam, quiscimil eos simenet minverovid
- Exerum nuscid ut et occus aute derspel libusam andandus et fuga.
- Nam con etum, ut exerrumquis eos autaspient et quatqui bustiam, sequ iducim quunti reseque pos nones
- Int ex exero blaboru mquissincit am
- aut qui sus is aut laborerorem rendan este natibus eossequiatio
- linumquam fuga. Ut eribus mint, quamus.
- Puditatem. Gia nonsedia ipsandebis si corrore perionesti bla sequ dici ionsent.Arunti dit, sum re v veligenis dolupie ndip dit, sum la um quidendenest m
- Gdia el militat iis ma most runtium reiume t q , od ex ia aut a nderibus aut eturem e volupt urias ditenihicti tati si te sundandae qui sim q mqui co quam abo. Edi laborate sita con rerum serunt ad qu bit fugiat pro velluptatem ent ccus inum quiatur? Venimintus mincia or si bea sam, officabo. Ita nescid quas ende evelitate laborat urepudist, sitem et es dolorpos moluptur, te eostoresciis doluptat vent explacerum fuga.

DRAFT

06 *NEXT STEPS*

SCHEDULE


2015-2016
Oct
Nov
Dec
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
1. Discovery
Stakeholder Meeting #1
2. Analysis
3. Idea Generation
Stakeholder Meeting #2 5/11/16
Community Meeting #1, 6/20/16
4. Refinement
Stakeholder Meeting #3 9/9/16
Planning Commission 11/1/16
City Council Mid-November (TBD)
5. Documentation
Final Report
11/28/16
Project team meetings
Stakeholder meeting

VAN AKEN DISTRICT CONNECTIONS PLAN

COMMUNITY MEETING #2
SEPTEMBER 29, 2016

7:00–7:30 Open House

7:30–8:15 Presentation

8:15–9:00 Open House

http://shakeronline.com/departments/planning/van-aken/a-connections-plan-for-the-van-aken-district